

Andorate Endoscopic Tubing System


Support the Efficiency & Patient Safety
in your everyday GI procedures



andorate


Andorate Endoscopic Tubing System

1. Exploring the Andorate Endoscopic Tubing System
2. Benefits of the system for your daily GI procedures
3. VACUTORE™ Air-Water Tubing
 - 3.1 Compatible with Olympus GI endoscopes
 - 3.2 Compatible with Fujifilm GI endoscopes
 - 3.3 Compatible with Pentax GI endoscopes
4. AQUAPULSE™ Irrigation Set-up
 - 4.1 Irrigation tubing compatible with various irrigation pumps
 - 4.2 Irrigation connector compatible with Olympus GI endoscopes
 - 4.3 Irrigation connector compatible with Fujifilm GI endoscopes
 - 4.4 Irrigation connector compatible with Pentax GI endoscopes
5. Andorate Endoscopic Tubing System featured on:
 - 5.1 Olympus endoscopy stack system
 - 5.2 Fujifilm endoscopy stack system
 - 5.3 Pentax endoscopy stack system
6. Order Information



Andorate Endoscopic Tubing System

Andorate designs VACUTORE™ and AQUAPULSE™ tubing systems to enhance efficiency and patient safety.



Five significant characteristics benefit everyday gastrointestinal procedures.



Leak Prevention

Secure, airtight connections eliminate fluid escape and preventing cross-contamination.



Sterility

Individually packaged and sterilised for better safety.



Pressure Resistance

Withstands high pressures from the air-water system without kinking or bursting, ensuring continuous and stable airflow and water supply.



Material Quality

Made from high-quality DEHP-free and biocompatible materials that ensure performance stability and safety for GI procedures.



Flow Control

Precision-engineered to work consistently with compatible air and water delivery equipment during procedures.

VACUTURE™ Air-Water Tubing

To Insufflate and Clean for A Better View

VACUTURE™ Air-Water Tubing works with the air-water valve to insufflate the intestine and clean the lens at the distal end of the endoscope for a better, clear view. The tubing set is individually packaged and sterilised to reduce the risk of contamination. It is ready to use, streamlining the daily process.

VACUTURE™ Air-Water Tubing has a wide range of products that are compatible with Olympus, Fujifilm, and Pentax GI endoscopes.



Scan for Product
Guidance Video

Olympus-compatible



VACUTURE™ Air-Water
Bottle Tubing
GAR025



VACUTURE™ Air-Water
Bottle Tubing with CO₂ Extend
GAR025CO2EXT

Fujifilm-compatible



VACUTURE™ Air-Water
Bottle Tubing
GAR088



VACUTURE™ Air-Water
Bottle Tubing
GAR090



VACUTURE™ Air-Water
Bottle Tubing with CO₂ Extend
GAR088CO2EXT



VACUTURE™ Air-Water
Bottle Tubing with CO₂ Extend
GAR090CO2EXT

Pentax-compatible



VACUTURE™ Air-Water
Bottle Tubing
GAR072



VACUTURE™ Air-Water
Bottle Tubing with CO₂ Extend
GAR072CO2EXT

AQUAPULSE™ Irrigation Set-up


Dual Protection for Auxiliary Jet Irrigation

Over the years, there are multiple reports to FDA about the backflow incidents during GI irrigation. FDA guidance recommends incorporating a backflow-prevention valve in irrigation systems to prevent backflow issues.*



^ The irrigation pump is not for sale.

* Source: Mitigating the Risk of Cross- Contamination from Valves and Accessories Used for Irrigation Through Flexible Gastrointestinal Endoscopes, Guidance for Industry and Food and Drug Administration Staff, issued on November 29, 2016; page 6



The AQUAPULSE™ Irrigation Set-up includes two components: irrigation tubing for 24-hour use and irrigation connector for single-patient use. Both parts feature built-in one-way valves to prevent backflow contamination.

AQUAPULSE™ Auxiliary Water Connector

- Compatible with Olympus, Fujifilm, and Pentax GI endoscopes.
- Single-use only - discard after each procedure.

AQUAPULSE™ Irrigation Tubing

- Paired with the AQUAPULSE™ Auxiliary Water Connector, the AQUAPULSE™ Irrigation Tubing provides consistent and reliable flow for gastrointestinal irrigation.
- It is designed to prevent priming and leaking issues.
- Used for up to 24 hours.

Andorate Endoscopic Tubing System for Olympus GI Endoscopes



24h

VACUTORE™ Air-Water Bottle Tubing

GAR025

Compatible with Olympus
160/180/190/240/260/290/1100/1200/1500 Series
GI Endoscopes



24h

VACUTORE™ Air-Water Bottle Tubing with CO₂ Extend

GAR025CO2EXT

Compatible with Olympus
160/180/190/240/260/290/1100/1200/1500 Series
GI Endoscopes



24h

CO₂ Source Tubing with Luer Connector

GAR047

Not endoscope-specific



24h

CO₂ Source Tubing Adapter

GAR093

Compatible with Olympus
UCR CO₂ Insufflator




24h

CO₂ Source Tubing Adapter

GAR108

Compatible with Fujifilm
GW-100 Insufflator



SINGLE USE

Biopsy Irrigator Connector

GAR015

Compatible with Olympus
GI Endoscopes



SINGLE USE

AQUAPULSE™ Auxiliary Water Connector

GAR027

Compatible with Olympus
160/180/190/240/260/290 Series
GI Endoscopes



24h

AQUAPULSE™ Irrigation Tubing

GAR073

Compatible with Olympus OFP-2
and Endo Stratus EGA-500
Irrigation Pump



24h

AQUAPULSE™ Irrigation Tubing

GAR083

Compatible with Olympus OFP-2,
Endo Stratus EGA-500 and
EGP-100 Irrigation Pump

Reusable

SINGLE USE

For single-patient use

24h

For 24-hour use



Andorate Endoscopic Tubing System for Fujifilm GI Endoscopes



24^h

VACUTORE™ Air-Water Bottle Tubing

GAR088

Compatible with Fujifilm
500/600 Series
GI Endoscopes



24^h

GAR090

Compatible with Fujifilm
700 Series
GI Endoscopes



24^h

VACUTORE™ Air-Water Bottle Tubing with CO₂ Extend

GAR088CO2EXT

Compatible with Fujifilm
500/600 Series
GI Endoscopes



24^h

GAR090CO2EXT

Compatible with Fujifilm
700 Series
GI Endoscopes



2
SINGLE USE

Biopsy Irrigator Connector

GAR015

Compatible with Fujifilm
GI Endoscopes



24^h

CO₂ Source Tubing with Luer Connector

GAR047

Not endoscope-specific



24^h

CO₂ Source Tubing Adapter

GAR093

Compatible with Olympus
UCR CO₂ Insufflator




24^h

CO₂ Source Tubing Adapter

GAR108

Compatible with Fujifilm
GW-100 Insufflator



2
SINGLE USE

AQUAPULSE™ Auxiliary Water Connector

GAR064

Compatible with Fujifilm
500/600/700 Series
GI Endoscopes



24^h

AQUAPULSE™ Irrigation Tubing

GAR073

Compatible with Olympus OFF-2
and Endo Stratus EGA-500
Irrigation Pump




24^h


AQUAPULSE™ Irrigation Tubing

GAR083

Compatible with Olympus OFF-2,
Endo Stratus EGA-500 and EGP-100
Irrigation Pump

 Reusable

 For single-patient use

 For 24-hour use

Andorate Endoscopic Tubing System for Pentax GI Endoscopes



VACUTORE™ Air-Water Bottle Tubing
GAR072

Compatible with Pentax
90 Series GI Endoscopes



VACUTORE™ Air-Water Bottle Tubing with CO₂ Extend
GAR072CO2EXT

Compatible with Pentax
90 Series GI Endoscopes



CO₂ Source Tubing with Luer Connector
GAR047

Not endoscope-specific



CO₂ Source Tubing Adapter
GAR093

Compatible with Olympus
UCR CO₂ Insufflator



CO₂ Source Tubing Adapter
GAR108

Compatible with Fujifilm
GW-100 Insufflator



AQUAPULSE™ Auxiliary Water Connector
GAR048

Compatible with Pentax
90/i10/i10c Series
GI Endoscopes



AQUAPULSE™ Irrigation Tubing
GAR073

Compatible with Olympus OFP-2
and Endo Stratus EGA-500
Irrigation Pump



AQUAPULSE™ Irrigation Tubing
GAR083

Compatible with Olympus OFP-2,
Endo Stratus EGA-500 and
EGP-100 Irrigation Pump

Reusable
 For single-patient use
 For 24-hour use

Order Information



VACUTORE™ Air-Water Bottle Tubing

GAR025

Compatible with Olympus
160/180/190/240/260/290/1100/
1200/1500 Series GI Endoscopes

Per box: 20 units
380 x 300 x 150 mm | 1.76 kg
Per carton: 40 units
425 x 350 x 310 mm | 3.93 kg



VACUTORE™ Air-Water Bottle Tubing with CO₂ Extend

GAR025CO2EXT

Compatible with Olympus
160/180/190/240/260/290/1100/
1200/1500 Series GI Endoscopes

Per box: 10 units
297 x 162 x 202 mm | 1.40 kg
Per carton: 40 units
425 x 350 x 310 mm | 6.20 kg



VACUTORE™ Air-Water Bottle Tubing

GAR072

Compatible with Pentax
90 Series
GI Endoscopes

Per box: 20 units
380 x 300 x 150 mm | 1.76 kg
Per carton: 40 units
425 x 350 x 310 mm | 3.93 kg



VACUTORE™ Air-Water Bottle Tubing with CO₂ Extend

GAR072CO2EXT

Compatible with Pentax
90 Series
GI Endoscopes

Per box: 10 units
297 x 162 x 202 mm | 1.32 kg
Per carton: 40 units
425 x 350 x 310 mm | 5.86 kg



VACUTORE™ Air-Water Bottle Tubing

GAR088

Compatible with Fujifilm
500/600 Series
GI Endoscopes

Per box: 20 units
380 x 300 x 150 mm | 1.66 kg
Per carton: 40 units
425 x 350 x 310 mm | 3.70 kg



VACUTORE™ Air-Water Bottle Tubing with CO₂ Extend

GAR088CO2EXT

Compatible with Fujifilm
500/600 Series
GI Endoscopes

Per box: 10 units
297 x 162 x 202 mm | 1.27 kg
Per carton: 40 units
425 x 350 x 310 mm | 5.66 kg



VACUTORE™ Air-Water Bottle Tubing

GAR090

Compatible with Fujifilm
700 Series
GI Endoscopes

Per box: 20 units
380 x 300 x 150 mm | 1.92 kg
Per carton: 40 units
425 x 350 x 310 mm | 3.84 kg



VACUTORE™ Air-Water Bottle Tubing with CO₂ Extend

GAR090CO2EXT

Compatible with Fujifilm
700 Series
GI Endoscopes

Per box: 10 units
297 x 162 x 202 mm | 1.39 kg
Per carton: 40 units
425 x 350 x 310 mm | 6.17 kg

● Compatible with Olympus endoscopes ● Compatible with Fujifilm endoscopes ● Compatible with Pentax endoscopes

↻ Reusable For single-patient use For 24-hour use

Order Information



**CO₂ Source Tubing
with Luer Connector**

GAR047

Not endoscope-specific

Per box: 10 units
315 x 235 x 235 mm | 2.04 kg
Per carton: 40 units
490 x 490 x 345 mm | 8.15 kg



**CO₂ Source Tubing
Adapter**

GAR093

Compatible with Olympus
UCR CO₂ Insufflator

Per box: 5 units
160 x 120 x 30 mm | 0.23 kg
Per carton: 25 units
180 x 170 x 130 mm | 1.15 kg



**CO₂ Source Tubing
Adapter**

GAR108

Compatible with
Fujifilm GW-100 Insufflator

Per box: 5 units
160 x 120 x 30 mm | 0.25 kg
Per carton: 25 units
180 x 170 x 130 mm | 1.25 kg



**AQUAPULSE™ Auxiliary
Water Connector**

GAR027

Compatible with Olympus
160/180/190/240/260/290 Series
GI Endoscopes

Per box: 100 units
215 x 110 x 145 mm | 0.52 kg
Per carton: 1,000 units
585 x 450 x 190 mm | 5.23 kg



**AQUAPULSE™ Auxiliary
Water Connector**

GAR064

Compatible with Fujifilm
500/600/700 Series
GI Endoscopes

Per box: 100 units
215 x 110 x 145 mm | 0.40 kg
Per carton: 1,000 units
585 x 450 x 190 mm | 4.40 kg



**AQUAPULSE™ Auxiliary
Water Connector**

GAR048

Compatible with Pentax
90/i10/i10c Series
GI Endoscopes

Per box: 100 units
215 x 110 x 145 mm | 0.55 kg
Per carton: 1,000 units
585 x 450 x 190 mm | 5.52 kg



**Biopsy Irrigator
Connector**

GAR015

Compatible with Olympus & Fujifilm
GI Endoscopes

Per box: 100 units
248 x 235 x 174 mm | 1.24 kg
Per carton: 1,000 units
892 x 482 x 283 mm | 12.44 kg

● Compatible with Olympus endoscopes ● Compatible with Fujifilm endoscopes ● Compatible with Pentax endoscopes

Reusable For single-patient use For 24-hour use

Order Information



AQUAPULSE™ Irrigation Tubing

GAR073

Compatible with Olympus OFP and
Endo Stratus EGA-500
Irrigation Pump

Per box: 10 units
297 x 162 x 202 mm | 1.64 kg
Per carton: 40 units
425 x 350 x 310 mm | 6.56 kg



AQUAPULSE™ Irrigation Tubing

GAR083

Compatible with Olympus OFP,
Endo Stratus EGA-500 and
EGP-100 Irrigation Pump

Per box: 10 units
297 x 162 x 202 mm | 1.55 kg
Per carton: 40 units
425 x 350 x 310 mm | 6.20 kg



Stainless Steel Water Bottle Holder

502001

Compatible with Most of
the Water Bottles

Per box: 1 unit
135 x 103 x 158 mm | 0.30 kg
Per carton: 6 units
328 x 256 x 258 mm | 2.10 kg



Stainless Steel Water Bottle Holder with Mounting Plate

502003

Compatible with Most of
the Water Bottles

Per box: 1 unit
135 x 103 x 158 mm | 0.40 kg
Per carton: 6 units
328 x 256 x 258 mm | 2.90 kg

Please contact Andorate authorised distributor in your country or
email us at sales@GAhealth.com for ordering details.



Scan and Contact Us



Reusable



For 24-hour use

andorate



We are Global-Asia Health,
providing advanced solutions
for infection prevention in
endoscopy.

GA Health Company Limited

Unit 1511-13 & 15, 15/F,
Tower 2, Grand Central Plaza,
138 Shatin Rural Committee Road,
Shatin, N.T., Hong Kong

☎ +852 2833 9010

✉ info@GAhealth.com

🌐 GAhealth.com

GA Health Medical Devices Limited

The Glasshouses, Frascati Hall,
Sweetman's Avenue, Blackrock,
Co. Dublin, A94 F9N7, Ireland

✉ info@GAhealth.com

🌐 GAhealth.com